

## DECLARATION OF PERFORMANCE

No: VMT1504

UAB „Vakarų mediena torso“,  
Medvalakio str. 53,  
LT-00147, Palanga  
Lithuania  
2015



This document declares that wooden frame exterior doors with Al/MDF6 panels, for use internally and externally in living premises and commercial buildings, conform to the product requirements of **EN 14351-1:2006+A1:2010**.

Technical characteristics	Test standards	Class/Parameter	Test report reference
<i>Weighted sound reduction index</i>	<i>EN ISO 140-3, EN ISO 717-1</i>	<b>31(-3;-4;-2;-4)dB</b>	<b>044 SF/15 A en</b>
<i>Watertightness class</i>	<i>LST EN 1027:2004</i>	<b>4A</b>	<b>044 SF/15 VOA en</b>
<i>Air permeability class</i>	<i>LST EN 1026:2004</i>	<b>2</b>	<b>044 SF/15 VOA en</b>
<i>Resistance to wind load, test pressure, class</i>	<i>EN 12211:2002</i>	<b>3</b>	<b>044 SF/15 VOA en</b>
<i>Resistance to wind load, frame deflection, class</i>	<i>EN 12211:2002</i>	<b>C</b>	<b>044 SF/15 VOA en</b>
<i>Thermal transmittance</i>	<i>EN ISO 12567-1:2010</i>	<b>0,91-1,1 W/m<sup>2</sup>K</b>	<b>045 SF/15 U</b>

Tested at Laboratory of Building Physics, Institute of Architecture and Construction of Kaunas University of Technology. Tunelio str. 60, LT-44405 Kaunas, Lithuania. Notified body number: 2018.

UAB „Vakarų mediena torso“

Direktorius

Artūras Ščerbakovas

A.V. ....